



| <b>Features and Specifications</b>      |   |                                 |
|---|---|---------------------------------|
| <b>Safety and Security</b>              |   | <b>R</b>                        |
| Airbags                                 | Driver and front passenger airbags<br>Driver and front passenger side airbags<br>Curtain airbags, front and rear  | S<br>S<br>S                     |
| Anti-theft                              | Alarm system with interior monitoring and tilt sensor<br>Electronic engine immobiliser  | S<br>S                          |
| Body                                    | Fully galvanised body with 12 year anti-corrosion perforation warranty<br>Door side impact protection<br>Rigid safety cell with front and rear crumple zones  | S<br>S<br>S                     |
| Brakes                                  | Automatic flashing brake lights activated in emergency braking situation<br>Anti-lock Braking System (ABS)<br>Brake Assist<br>Electronic Brake-pressure Distribution (EBD)<br>Hill Start Assist (HSA)<br>Black brake callipers  | S<br>S<br>S<br>S<br>S<br>S      |
| Child restraints                        | Child seat top tether anchorage points, mounted on rear seat back (2)<br>ISOFIX child seat anchorage points, outer rear seats   | S<br>S                          |
| Entry/warning reflectors in front doors |   | S                               |
| First aid kit                           |   | A                               |
| Head restraints                         | Front safety optimised head restraints, height adjustable<br>Rear head restraints (2)   | S<br>S                          |
| Lighting                                | Daytime driving lights, LED integrated in headlight housing<br>Fog lamp, rear<br>Front indicators, LED integrated in front bumper<br>Rear registration plate light, LED<br>Rear tail lights, LED  | S<br>S<br>S<br>S<br>S           |
| Locking                                 | Remote central locking with SAFELOCK deadlock mechanism<br>2 stage unlocking (programmable)<br>Automatic locking after take-off (programmable)<br>One touch lock / unlock for driver<br>Fuel filler flap lock/unlock by remote, push to open  | S<br>S<br>S<br>S<br>S           |
| Luggage cover, removable                |   | S                               |
| Seat belts                              | Front with pre-tensioners and belt force limiters<br>Visual and acoustic warning for driver and front seat passenger seat belts not fastened<br>3 point seat belts for all passengers (4)   | S<br>S<br>S                     |
| Traction Control                        | Anti-Slip Regulation (ASR)<br>Electronic Differential Lock (EDL)<br>Electronic Stabilisation Program (ESP)<br>Extended Electronic Differential Lock (XDL)   | S<br>S<br>S<br>S                |
| <b>Exterior Equipment / Styling</b>     |   |                                 |
| Body enhancements                       | Body coloured bumper bars and door handles<br>Body coloured lower front spoiler and rear roof spoiler<br>Matte chrome finish exterior rear view mirrors<br>Exposed chrome exhaust tail pipes, left and right<br>Lower air intakes and radiator grille with black gloss grille inserts<br>Rear bumper with black gloss diffuser<br>Widened side sill panels in body colour | S<br>S<br>S<br>S<br>S<br>S<br>S |
| Paint                                   | Gloss, Metallic and Pearl Effect paint finishes   | S                               |
| Roof                                    | Roof bars<br>Bicycle, kayak, ski, surfboard and snowboard holders<br>Ski and luggage box range – 340 and 460 litre volumes  | A<br>A<br>A                     |



| <b>Exterior Equipment / Styling (cont'd)</b> |  | <b>R</b> |
|--|--|----------|
| Tinted glass                                 | Darkened rear tail light clusters  | S        |
|  | Dark tinted rear side window and rear window glass, 65% light absorbing  | S        |
|  | Heat insulating tinted glass   | S        |
| Wheels                                       | Alloy wheels (Cadiz) 19x8" with 235/35 R19 tyres   | S        |
|  | Alloy wheels (Sagitta and Motorsport) 19x8"  | A        |
|  | Anti-theft wheel bolts   | S        |
|  | Low tyre pressure indicator  | S        |
|  | Tyre mobility set, 12-volt compressor and tyre sealant   | S        |
| <b>Comfort and Convenience</b>               |  |          |
| Armrest                                      | Front centre armrest, height and reach adjustable  | S        |
| Air conditioning                             | Air conditioning, dual zone automatic (2 modes) climate control with indirect ventilation mode   | S        |
|  | Air quality sensor with automatic air recirculation  | S        |
|  | Dust and pollen filter   | S        |
| Cruise control                               |  | S        |
| Cup holders                                  | Front (2)  | S        |
| Driver assistance systems                    | Adaptive chassis control   | S        |
|  | Parking distance sensors, front and rear with acoustic warning and audio volume level reduction when sensor warning is activated   | S        |
|  | Optical Parking System (OPS) in radio/navigation display   | S        |
|  | Automatic kerb function when reversing, passenger's side exterior mirror   | S        |
|  | Rear View Camera (RVC) with static guidance lines  | S        |
| Floor mats                                   | Front and rear, carpet   | S        |
|  | Front and rear, rubber   | A        |
| Grab handles                                 | Soft fold away grab handles, front   | S        |
|  | Grab handles are not fitted in conjunction with the optional panoramic glass roof  |          |
| Headlights                                   | Coming / leaving home function   | S        |
|  | Combined headlight and fog light rotary switch   | S        |
|  | Bi-xenon headlights for high and low beam with dynamic and static cornering lights, automatic range adjustment, headlight cleaning system and low washer fluid warning   | S        |
|  | Low light sensor with automatic headlight function   | S        |
| In car entertainment and technology          | Audio and satellite navigation system (RNS510)   | S        |
|  | AM/FM security coded radio, high-resolution 6½" touch screen display in 16:9 format, 2D, topographical and 3D (bird's eye) map views, voice control for navigation, telephone and radio functions, integrated 30 GB hard drive for storing music and navigation data, SD card slot and single DVD drive for the playback of audio CD/MP3 |          |
|  | Audio and telephone controls mounted on steering wheel   | S        |
|  | Auxiliary input audio socket in front centre console   | S        |
|  | Bluetooth® phone connectivity with contacts display, operation via touch screen audio unit or MFD Plus and Bluetooth® audio streaming  | S        |
|  | Speakers, front and rear (8)   | S        |
|  | Media Device Interface (MDI), fitted in the centre console and supplied with USB connection cable  | S        |
|  | Media Device Interface (MDI) connection cables for iPhone®, iPod®, mini USB and auxiliary input  | A        |
| Instrumentation                              | Speedometer & tachometer, electronic odometer and tripmeter, service interval display, digital clock, fuel and coolant gauges, low fuel warning light, brake pad wear indicator, white adjustable illumination with blue needles   | S        |
|  | Sports instruments on dashboard – turbo boost pressure, engine oil temperature and stopwatch   | S        |



| <b>Comfort and Convenience (cont'd)</b>   |  | <b>R</b> |
|---|--|----------|
| Interior highlights   | Aluminium finish clutch, accelerator and brake pedals  | S        |
|   | Decorative inlays, "carbon touch" for dashboard  | S        |
|   | Black gloss finish to audio and air conditioning console surround, air vents, steering wheel inserts and interior door grab handles  | S        |
|   | Black headlining and pillar trim   | S        |
|   | Chrome highlight trim to headlight rotary switch   | S        |
|   | Door sill scuff plates in aluminium, with R logo   | S        |
|   | Gearshift knob in leather and aluminium  | S        |
|   | Steering wheel, gearshift gaiter and handbrake grip with decorative stitching  | S        |
| Interior lighting   | With time delay  | S        |
|   | Foot well illumination, driver and front passenger   | S        |
|   | Front reading lights (2)   | S        |
|   | Rear reading light (1)   | S        |
| Luggage compartment   | Load restraining hooks   | S        |
|   | Luggage compartment light  | S        |
|   | Luggage compartment protection, plastic tray with Scirocco lettering   | A        |
|   | Shopping bag hooks   | S        |
|   | 12 volt socket   | S        |
| Mirrors   | Automatic dimming interior rear-view mirror  | S        |
|   | Automatic kerb function when reversing, passenger's side exterior mirror   | S        |
|   | Electrically adjustable, heated and foldable exterior mirrors  | S        |
|   | LED turn indicator lights integrated in exterior mirrors   | S        |
|   | Integrated environment lighting in exterior mirrors  | S        |
| Power steering  | Electro-mechanical, vehicle speed and steering input sensitive   | S        |
| Seating   | Sports seats with additional side bolstering   | S        |
|   | Easy entry front seat backrest release function  | S        |
|   | Height adjustment for front seats  | S        |
|   | Split folding rear seat backrest (50/50)   | S        |
| Steering wheel  | 3 spoke leather rimmed flat bottomed sports steering wheel with gloss black insert and decorative stitching  | S        |
|   | Audio, telephone and Multi-Function Display controls   | S        |
|   | Gearshift paddles (with DSG)   | S        |
|   | Height and reach adjustable steering wheel   | S        |
| Storage   | Chillable glove box with illumination, lockable  | S        |
|   | Coin tray and 12 volt socket in console  | S        |
|   | Compartment in roof console with lid (not with panoramic glass roof)   | S        |
|   | Driver's side dashboard compartment with lid   | S        |
|   | Front door pockets   | S        |
| Sunroof   | Panoramic glass roof, electrically tilt adjustable with sunblind   | O        |
| Transmission  | Gearshift recommendation indicator   | S        |
|   | 6 speed manual transmission  | S        |
|   | 6 speed Direct Shift Gearbox (DSG) with sport mode and Tiptronic function  | O        |
| Trip computer   | Multi-Function Display (MFD Plus) – driving time, trip length, average and current speed, average and current fuel consumption, distance till empty, speed warning function, vehicle status, audio, telephone and convenience displays | S        |
| Upholstery  | 'Race' sports cloth and Alcantara combination seats with grey decorative stitching   | S        |
|   | Vienna leather appointed seat upholstery with decorative stitching   | O        |
|   | Chrome highlights to power window and mirror switches  |          |
|   | Electrically adjustable lumbar support for front seats   |          |
|   | Individually heated front seats  |          |
| Some parts of the leather appointed seat upholstery will contain man made material. |  |          |
| Vanity mirrors  | Driver's and passenger's side vanity mirrors   | S        |
|   | Illuminated on driver's and passenger's side   | S        |
| Wipers  | 2 speed aero wipers with wash/wipe   | S        |
|   | Rain sensor  | S        |
|   | Rear window with wash/wipe and intermittent wipe   | S        |



| <b>Comfort and Convenience (cont'd)</b> |  | <b>R</b> |
|---|--|----------|
| Windows                                 | Power front, with roll-back function and one-touch up-down | S        |
|   | Remote operated convenience close and open feature         | S        |
|   | Sunblinds, rear side windows & rear window                 | A        |
| 12V socket                              | Centre console   | S        |
|   | Luggage compartment  | S        |



## Technical Specifications

|                            |  | <b>R</b>              |                    |
|----------------------------|--|-----------------------|--------------------|
| <b>Engine</b>              |  | <b>2.0 litre TSI</b>  |                    |
| Type                       | 4 cylinder inline turbo direct injection petrol                  |                       |                    |
| Installation               | Front transverse   |                       |                    |
| Cubic capacity, litres/cc  | 2.0 / 1984   |                       |                    |
| Bore/stroke, mm            | 82.5 / 92.8  |                       |                    |
| Max power, kW @ rpm        | 188 @ 6000   |                       |                    |
| Max torque, Nm @ rpm       | 330 @ 2400-5200  |                       |                    |
| Compression ratio          | 9.8:1  |                       |                    |
| Fuel system                | Bosch Motronic   |                       |                    |
| Ignition system            | Electronic   |                       |                    |
| Exhaust emission control   | Exhaust gas recirculation, catalytic converter and lambda probes |                       |                    |
| Emission Level ^           | EU5^   |                       |                    |
| Fuel type (Recommended)    | Premium unleaded 98 RON minimum                                  |                       |                    |
| <b>Transmission</b>        |  | <b>6 Speed Manual</b> | <b>6 Speed DSG</b> |
| Driven wheels              | Front wheel drive  |                       |                    |
| <b>Performance #</b>       |  |                       |                    |
| 0 – 100 km/h               | 6.2  |                       | 6.0                |
| <b>Fuel Consumption **</b> |  |                       |                    |
| Combined, L/100km          | 8.1  |                       | 8.0                |
| Urban, L/100km             | 11.2   |                       | 10.9               |
| Extra Urban, L/100km       | 6.3  |                       | 6.3                |
| CO2 emission g/km          | 189  |                       | 187                |
| Fuel tank capacity litres  | 55   |                       | 55                 |

^ Emission level according to European Regulation (EC) No. 715/2007 and Regulation (EC) No. 692/2008.

# Please note figures are sourced from overseas data where equipment levels by model variant may vary.

\*\* Fuel consumption figures according to Australian Design Rule (ADR) 81/02.

The driving style, road and traffic conditions, environmental influences, the fitment of accessories and vehicle condition can in practice lead to consumption figures which may differ from those calculated with these standards.



## Technical Specifications

|                                  |                    | <b>R</b>  |   |
|----------------------------------|--------------------|---|---|
|                                  |                    | <b>2.0 litre TSI</b>  |   |
| <b>Running Gear</b>              | Suspension         | Front Axle  | Independent, MacPherson struts with lower A-arms. Anti-roll bar.<br>Sports suspension with adaptive chassis control |
|                                  |                    | Rear Axle   | Independent, four-link with coil springs. Anti-roll bar.<br>Sports suspension with adaptive chassis control         |
| Steering                         |                    | Electro-mechanical power assisted rack & pinion steering  |   |
| Brake Systems                    |                    | Anti-lock Braking System (ABS) with Electronic Brake-pressure Distribution (EBD), Brake Assist and Electronic Stabilisation Program (ESP) |   |
| Brakes                           | Front              | Ventilated discs  |   |
|                                  | Rear               | Ventilated discs  |   |
| Turning Circle (m)               |                    | 11.0  |   |
| <b>Weights</b>                   |                    | <b>6 Speed Manual</b>   | <b>6 Speed DSG</b>  |
| Tare Mass Kg's                   |                    | 1356  | 1381  |
| <b>Exterior Dimensions</b>       |                    |   |   |
| Overall length mm                |                    | 4248  |   |
| Width mm                         |                    | 1820  |   |
| Height mm                        |                    | 1392  |   |
| Wheelbase mm                     |                    | 2578  |   |
| Track mm                         | Front              | 1553  |   |
|                                  | Rear               | 1561  |   |
| <b>Luggage Area Dimensions #</b> |                    |   |   |
| Luggage area volume L            | Rear seat upright  | 312   |   |
|                                  | Rear seat folded   | 1006  |   |
| Luggage area floor length mm     | Rear seat upright  | 707   |   |
|                                  | Rear seat folded   | 1523  |   |
| Luggage area width mm            | At narrowest point | 1005  |   |
| Luggage load height mm           | To luggage cover   | 730   |   |
|                                  | To roof lining     | 742   |   |

# Please note figures are sourced from overseas data where equipment levels by model variant may vary.

## Colour Combinations

| EXTERIOR COLOUR  |            |                      |                       |                         |
|--|------------|----------------------|-----------------------|-------------------------|
|  | Pure White | Rising Blue Metallic | Iridium Grey Metallic | Deep Black Pearl Effect |
| <b>INTERIOR TRIM</b>                                     |            |                      |                       |                         |
| <b>R</b>   |            |                      |                       |                         |
| Black/Grey 'Race' sports cloth/Alcantara seat upholstery | <b>S</b>   | <b>S</b>             | <b>S</b>              | <b>S</b>                |
| Black Vienna leather appointed seat upholstery           | <b>O</b>   | <b>O</b>             | <b>O</b>              | <b>O</b>                |



---

## Glossary

---

### **Adaptive Chassis Control**

The electrically controlled dampers of adaptive chassis control constantly adjust to the road conditions, the driving situation and driver's requirements. Using a button located on the centre console, the driver selects between three damper settings – NORMAL, COMFORT and SPORT.

Starting from the normal setting, the driver can change the basic character of the car towards sporty or more comfort-oriented driving. In SPORT and COMFORT settings, the corresponding name is illuminated in the button. In NORMAL setting, only the shock absorber symbol is illuminated. In all settings, the adaptive chassis control adjusts the damping to the particular driving situation (up till one thousand times per second) which means it offers an optimum level of driving comfort and enjoyment at all times. In addition, in the SPORT setting the steering feel is also adapted. Particularly on winding roads and poor surfaces, using adaptive chassis control offers sporty and yet comfortable driving.

### **Anti-lock Braking System (ABS)**

When braking, wheel speed sensors measure the road wheel speed and should one or more wheels start to lock the ABS system reduces brake pressure to that wheel. This prevents the wheels from locking during heavy or emergency braking, enabling the vehicle to remain steerable.

### **Anti-Slip Regulation (ASR)**

ASR is a traction control system that prevents the wheels from spinning under acceleration by reducing engine torque.

### **Brake Assist**

During emergency braking, Brake Assist aids the driver by increasing the brake pressure automatically to a level exceeding the locking limit. The ABS is thus quickly brought into the operating range, which enables maximum vehicle deceleration to be achieved.

### **Direct Shift Gearbox (DSG)**

DSG is a manual gearbox in which the gearshifts are controlled electronically. What makes the DSG unique is that it has 2 separate gear sets operated by 2 clutches. The benefit of 2 gear sets and 2 clutches is that one gear set and clutch is engaged driving the vehicle with the second disengaged clutch having already pre-selected the next gear awaiting for power to be transferred. As the next gear has already been pre-selected prior to power being applied, the gear change only takes 3-4 100ths of a second. There is virtually no interruption to power, traction or acceleration. The DSG also offers Tiptronic gear selection and sports mode.

### **Electronic Brake-pressure Distribution (EBD)**

Electronic, more sophisticated means of regulating the ratio of front/rear brake pressure. Settings are varied according to driving and load conditions to ensure each wheel is braked to the optimum extent.

### **Electronic Differential Lock (EDL)**

EDL improves driving and steering characteristics when accelerating on road surfaces where each wheel has a different degree of traction. The system operates automatically and is combined with the ABS system. Using the ABS wheel sensors, EDL monitors the speed of the individual driving wheels. When a difference in driving wheel speed is detected (i.e. when one wheel starts to spin due to differences in road surfaces, e.g. due to water or dirt) the system brakes the spinning wheel, transferring engine power to the wheel with the best traction.

### **Electronic Stabilisation Program (ESP)**

ABS and ASR traction control systems are integrated into the Electronic Stabilisation Program (ESP). In short, ESP helps ensure that the vehicle goes where you steer it even in extreme driving conditions. The ESP system constantly compares the actual movement of the vehicle with pre-determined values and should a situation arise where the vehicle starts to skid, ESP will apply the brakes to individual wheels and automatically adjust the engine's power output to correct the problem. ESP prevents the vehicle from losing control when trying to avoid an accident, for example. It also reduces the effects of understeer or oversteer.



---

## Glossary (cont'd)

---

### **Extended Electronic Differential Lock (XDL)**

XDL is an extension of the Electronic Differential Lock (EDL) function. When cornering, XDL responds to the load relief at the front wheel on the inside of a corner. The ESP hydraulics are used for the XDL to apply pressure to the wheel on the inside of the corner in order to prevent wheel spin. This improves traction and reduces the tendency to understeer. As a direct result of the one-sided and precise braking pressure, cornering is sportier and more accurate.

### **Hill Start Assist (HSA)**

Hill Start Assist (HSA) holds the vehicle when the foot brake is released by temporarily locking the brake pressure (for a maximum of 1.5 seconds) to provide comfortable starting-off without rolling back. Hill Start Assist (HSA) operates on inclines greater than 5% and is fitted in combination with both the manual transmission and the Direct Shift Gearbox (DSG).

Volkswagen is distributed by Volkswagen Group Australia Pty Ltd, Volkswagen Group Australia Pty Ltd, 24 Muir Road Chullora, NSW 2190. ABN 14 093 117 876. Specifications are as planned at December 2014, for Model Year 2015 and are subject to change without notice or obligation. All information in this specification sheet is correct at the time of publication, however variations may occur from time to time and Volkswagen, in so far as it is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this specification sheet. Authorised Volkswagen dealers will provide up-to-date information on model application, design feature, prices and availability on request.